according to Regulation (EC) No 1907/2006



Telefax: 0049-(0)351-2704616

Telephone: 0049-(0)351-2704615

Silicone spray LF

Revision date: 28.11.2022 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Silicone spray LF

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Aerosol - Lubricants, greases, release products

1.3. Details of the supplier of the safety data sheet

Company name: Friedrich Huber aeronova GmbH & Co.KG

Street: Sobrigauer Weg 4
Place: D-01257 Dresden
Telephone: 0049-(0)351-27046-0

e-mail: info@aeronova.de

Contact person: Labor

e-mail: labor@aeronova.de lnternet: www.aeronova.de

1.4. Emergency telephone 0049-(0)351-27046-0

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aerosol 1; H222-H229

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:



Hazard statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

Precautionary statements

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

SECTION 3: Composition/information on ingredients

according to Regulation (EC) No 1907/2006



Silicone spray LF

Revision date: 28.11.2022 Page 2 of 10

3.2. Mixtures

Hazardous components

| CAS No | Chemical name | | | | |
|------------|---------------------------------------|--------------|------------------|--|--|
| | EC No | Index No | REACH No | | |
| | Classification (Regulati | | | | |
| 106-97-8 | butane | 55 - < 60 % | | | |
| | 203-448-7 | 601-004-00-0 | 01-2119474691-32 | | |
| | Flam. Gas 1, Liquefied | | | | |
| 74-98-6 | propane | 25 - < 30 % | | | |
| | 200-827-9 | 601-003-00-5 | 01-2119486944-21 | | |
| | Flam. Gas 1, Liquefied gas; H220 H280 | | | | |
| 63148-62-9 | Polydimethylsiloxane | 15 - < 20 % | | | |
| | | | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|------------|--|--|-------------|
| | Specific Conc. Limits, M-factors and ATE | | |
| 63148-62-9 | | Polydimethylsiloxane | 15 - < 20 % |
| | dermal: LD50 = | :>2008 mg/kg; oral: LD50 = >5000 mg/kg | |

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. In case of respiratory tract irritation, consult a physician.

After contact with skin

Take off contaminated clothing and wash it before reuse. After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

according to Regulation (EC) No 1907/2006



Silicone spray LF

Revision date: 28.11.2022 Page 3 of 10

Unsuitable extinguishing media

Water.

5.2. Special hazards arising from the substance or mixture

Extremely flammable aerosol. Pressurized container: May burst if heated. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition.

For non-emergency personnel

Ventilate affected area. Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not pierce or burn, even after use.

Advice on protection against fire and explosion

Do not spray on naked flames or any incandescent material. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

Further information on handling

Heating causes rise in pressure with risk of bursting.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

according to Regulation (EC) No 1907/2006



Silicone spray LF

Revision date: 28.11.2022 Page 4 of 10

Further information on storage conditions

Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Aerosol - Lubricants, greases, release products

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. Suitable eye protection: Eye glasses with side protection EN 166

Hand protection

Hand protection is not required. Wash hands thoroughly after handling.

Skin protection

Wear anti-static footwear and clothing

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Suitable respiratory protection apparatus: Combination filtering device A-P2

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: odourless

Melting point/freezing point:

Boiling point or initial boiling point and

c-20 °C

not applicable

c-20 °C

boiling range: Flammability

Solid/liquid: not applicable not applicable Gas: Lower explosion limits: 1,5 vol. % Upper explosion limits: 10,9 vol. % < -20 °C Flash point: 365 °C Auto-ignition temperature: Decomposition temperature: not determined pH-Value: not relevant Water solubility: practically insoluble

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative vapour density:

not determined

0,598 g/cm³

not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Heating may cause an explosion.

Sustaining combustion: No data available

according to Regulation (EC) No 1907/2006



Print date: 28.11.2022

Silicone spray LF

Revision date: 28.11.2022 Page 5 of 10

Oxidizing properties not determined

Other safety characteristics

Evaporation rate: not determined
Solid content: not determined
Viscosity / dynamic: not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurized container: May burst if heated.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | |
|------------|----------------------|---------------|-------|---------|------------------|--------|
| | Exposure route | Dose | | Species | Source | Method |
| 63148-62-9 | Polydimethylsiloxane | | | | | |
| | oral | LD50 mg/kg | >5000 | Rat | literature value | |
| | dermal | LD50 mg/kg | >2008 | Rat | literature value | |

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

according to Regulation (EC) No 1907/2006



Silicone spray LF

Revision date: 28.11.2022 Page 6 of 10

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Further information

No further relevant information available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | | | | |
|------------|--------------------------|---------------|--------|-----------|--|--|---|--|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | | |
| 106-97-8 | butane | | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 49,9 | | Fish, no other information | United States Environmental Protection A | | | |
| | Acute algae toxicity | ErC50 mg/l | 19,37 | 96 h | Algae | USEPA OPPT Risk Assessment Division (200 | Calculation using ECOSAR Program v1.00. | | |
| | Acute crustacea toxicity | EC50 mg/l | 69,43 | 48 h | Daphnia sp. | USEPA OPPT Risk Assessment Division (200 | Calculation using ECOSAR Program v1.00. | | |
| 74-98-6 | propane | | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 49,9 | | Fish, no other information | United States Environmental Protection A | | | |
| | Acute algae toxicity | ErC50 mg/l | 19,37 | 96 h | Algae | USEPA OPPT Risk Assessment Division (200 | Calculation using ECOSAR Program v1.00. | | |
| | Acute crustacea toxicity | EC50 mg/l | 69,43 | 48 h | Daphnia sp. | USEPA OPPT Risk Assessment Division (200 | Calculation using ECOSAR Program v1.00. | | |
| 63148-62-9 | Polydimethylsiloxane | | | | | | | | |
| | Acute crustacea toxicity | EC50 mg/l | >200 | 48 h | Daphnia magna (Big water flea) | | | | |
| | Fish toxicity | NOEC mg/l | >10000 | 28 d | Oncorhynchus mykiss (Rainbow trout) | literature value | | | |

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|----------|---------------|---------|
| 106-97-8 | butane | 1,09 |
| 74-98-6 | propane | 1,09 |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

according to Regulation (EC) No 1907/2006



Silicone spray LF

Revision date: 28.11.2022 Page 7 of 10

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No further relevant information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

Contaminated packaging

Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:UN 195014.2. UN proper shipping name:AEROSOLS14.3. Transport hazard class(es):2

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0
Transport category: 2
Tunnel restriction code: D

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0

Marine transport (IMDG)

according to Regulation (EC) No 1907/2006



Silicone spray LF

Revision date: 28.11.2022 Page 8 of 10

14.1. UN number or ID number:UN 195014.2. UN proper shipping name:AEROSOLS14.3. Transport hazard class(es):2.1

14.4. Packing group: Hazard label: 2.1



Special Provisions: 63, 190, 277, 327, 344, 381, 959

Limited quantity: 1000 mL Excepted quantity: E0 EmS: F-D. S-U

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1950

14.2. UN proper shipping name: AEROSOLS, FLAMMABLE

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1



Special Provisions: A145 A167 A802

Limited quantity Passenger: 30 kg G
Passenger LQ: Y203
Excepted quantity: E0

IATA-packing instructions - Passenger:203IATA-max. quantity - Passenger:75 kgIATA-packing instructions - Cargo:203IATA-max. quantity - Cargo:150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Flammable gases.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

2010/75/EU (VOC): 84,5 % (505,31 g/l) 2004/42/EC (VOC): 84,5 % (505,31 g/l)

Information according to 2012/18/EU P3a FLAMMABLE AEROSOLS

(SEVESO III):

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC, 2008/47/EC

Aerosol Directive (75/324/).

National regulatory information

according to Regulation (EC) No 1907/2006



Silicone spray LF

Revision date: 28.11.2022 Page 9 of 10

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 6,7,12.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation

intérieures)

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|----------------------|--------------------------|
| Aerosol 1; H222-H229 | On basis of test data |

Print date: 28.11.2022

according to Regulation (EC) No 1907/2006

Silicone spray LF

Revision date: 28.11.2022 Page 10 of 10

Relevant H and EUH statements (number and full text)

H220 Extremely flammable gas.H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H280 Contains gas under pressure; may explode if heated.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)